



## Pro Strip Heavy Duty Floor Stripper

Version Number: 3

Preparation date: 2015-12-03

### 1. IDENTIFICATION

**Product name:** Pro Strip Heavy Duty Floor Stripper  
**Product Code:** 95032351, 95032360, 95117700  
**SDS #:** MS0800160  
**Recommended use:**

- Industrial/Institutional
- Floor stripper
- This product is intended to be diluted prior to use

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com	Canadian Headquarters Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171
--	--

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Metal Corrosion:	Category 1



**Signal Word:** Danger.

#### Precautionary Statements

##### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep only in original container. Do not breathe vapors. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive-resistant

Pro Strip Heavy Duty Floor Stripper

1 of 6

container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

**Health hazards not otherwise classified (HHNOC)** - Not applicable  
**Physical hazards not otherwise classified (PHNOC)** - Not applicable

**Classification for the diluted product @ 1:4**

Skin corrosion/irritation Category 2  
Serious eye damage/eye irritation Category 1



**Dilution Signal word:** Danger.

**Precautionary Statements**

**CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.**

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Dispose of unused content as chemical waste. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Monoethanolamine	141-43-5	10 - 20%
Benzyl alcohol	100-51-6	5 - 10%
Diethylene glycol monoethyl ether	111-90-0	3% - < 5%
Sodium hydroxide	1310-73-2	3% - < 5%

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES**

**Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

**Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

water.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:** None known  
**Suitable extinguishing media:** Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.  
**Specific hazards:** None known.

**Special protective equipment for firefighters:** As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**Extinguishing media which must not be used for safety reasons:** None.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** No special measures required.  
**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. Do not mix with any other product or chemical. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable):** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m <sup>3</sup> (TWA)
Benzyl alcohol	100-51-6	-	-
Diethylene glycol monoethyl ether	111-90-0	-	-
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Chemical-resistant gloves.  
**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.  
**Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs.

**Diluted Product:**

Engineering measures to reduce exposure: No special ventilation requirements General room ventilation is adequate

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Chemical-resistant gloves.  
**Skin and body protection:** No personal protective equipment required under normal use conditions.  
**Respiratory protection:** No personal protective equipment required under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid  
**Evaporation Rate:** No information available  
**Odor threshold:** No information available.  
**Melting point/range:** Not determined  
**Autoignition temperature:** No information available  
**Solubility in other solvents:** No information available  
**Density:** 8.84 lbs/gal 1.06 Kg/L  
**Bulk density:** No information available  
**Flash point:** > 200 °F > 93.3 °C  
**Dilution Flash Point:** 200 °F 93.3 °C  
**Elemental Phosphorus:** 0.00 % by wt.  
**pH:** 13  
**Dilution pH:** 13 @ 1:4  
**Metal Corrosion:** Not determined  
**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear  
**Odor:** Product specific  
**Boiling point/range:** Not determined  
**Decomposition temperature:** Not determined  
**Solubility:** Completely Soluble  
**Relative Density (relative to water):** 1.06  
**Vapor density:** No information available  
**Vapor pressure:** No information available.  
**Partition coefficient (n-octanol/water):** No information available  
**Viscosity:** No information available  
**VOC:** 12.3 % \*  
**VOC % by wt. at use dilution** 2.46 % \*  
**Flammability (Solid or Gas):** Not flammable

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not Applicable  
**Stability:** The product is stable  
**Possibility of hazardous reactions:** May vigorously react with acids resulting in spattering and excessive heat.  
**Hazardous decomposition products:** None reasonably foreseeable.  
**Materials to avoid:** Strong acids. Do not mix with any other product or chemical unless specified in the use directions.  
**Conditions to avoid:** Do not mix with any other product or chemical.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** 3300 mg/kg

**ATE - Dermal (mg/kg):** >5000

**ATE - Inhalatory, mists (mg/l):** 12 mg/L

**ATE - Inhalatory, vapors (mg/l):** >50

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste

**RCRA Hazard Class (diluted product):** Not Regulated

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

**IMDG (Ocean) Bill of Lading Description:** UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

### U.S. Regulations

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Monoethanolamine	141-43-5	X	X	X	-
Benzyl alcohol	100-51-6	X	-	X	-
Diethylene glycol monoethyl ether	111-90-0	-	X	-	-
Sodium hydroxide	1310-73-2	X	X	X	X

### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	3% - < 5%			X
Sodium hydroxide	1310-73-2	3% - < 5%	1000		

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

### SARA 311/312 Hazard Categories

**Immediate:** X  
**Delayed:** -  
**Fire:** -  
**Reactivity:** -  
**Sudden Release of Pressure:** -

### Canadian Regulations

**WHMIS hazard class:** E Corrosive material.

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Health** 3  
**Flammability** 0  
**Instability** 0

**Version Number:** 3  
**Preparation date:** 2015-12-03

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:** • Does not contain an added fragrance

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*