



Safety Data Sheet

Page 1 of 7

COMBAT ANT RID ANT BAIT STATIONS

SDS No. : 488523

V000.0

Date of issue: 19.02.2016

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: COMBAT ANT RID ANT BAIT STATIONS

Intended use: All insects

Supplier:
Henkel Australia Pty Ltd
135-141 Canterbury Road
Kilsyth, Victoria, 3137
Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture
Not hazardous according to the criteria of Safe Work Australia.

No classification required.

Classification of material None

Risk phrases:
Not applicable

Safety phrases:
Not applicable

Dangerous Goods information:
Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:
None

Section 3. Composition / information on ingredients

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Saccharose	57-50-1	10- 30 %
Propane-1,2-diol	57-55-6	< 3 %
non hazardous ingredients~		60- 100 %

Section 4. First aid measures

Ingestion:	Rinse out mouth. Do not drink. In case of adverse health effects seek medical advice.
Skin:	Rinse with running water and soap. If symptoms develop and persist, get medical attention.
Eyes:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.
First Aid facilities:	Eye wash Normal washroom facilities
Medical attention and special treatment:	Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Decomposition products in case of fire::	Thermal decomposition can lead to release of irritating gases and vapors. Oxides of carbon.
Special protective equipment for fire-fighters:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Additional fire fighting advice:	In case of fire, keep containers cool with water spray.

Section 6. Accidental release measures

Personal precautions:	See advice in section 8 Avoid dust formation. Avoid skin and eye contact.
Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	For mechanical removal use explosion-proof devices.

Section 7. Handling and storage

Precautions for safe handling:	See advice in section 8 Wear suitable protective clothing, gloves and eye/face protection.
Conditions for safe storage:	Store in a cool, well-ventilated place. Keep container tightly sealed and store in a frost free place. Storage temperature between 5 and 35°C.

Section 8. Exposure controls / personal protection**National exposure standards:**

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
SUCROSE (INSPIRABLE DUST) 57-50-1	Inspirable dust.		10	-	-	-	-
PROPANE-1,2-DIOL: PARTICULATES ONLY 57-55-6	Particulate.		10	-	-	-	-
PROPANE-1,2-DIOL: TOTAL (VAPOUR & PARTICULATES) 57-55-6	Total vapour and particulates.	150	474	-	-	-	-

Engineering controls:

Ensure adequate ventilation.

Eye protection:

Safety glasses.

Skin protection:

Use of protective coveralls and long sleeves is recommended.
Suitable protective gloves.
PVC gloves.
Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.
Natural rubber gloves.

Respiratory protection:

If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties**Appearance:**light brown
powder**Odor:**

characteristic

Section 10. Stability and reactivity**Stability:**

Stable under normal conditions of temperature and pressure.

Conditions to avoid:

Excessive heat.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Thermal decomposition can lead to release of irritating gases and vapors.
Oxides of carbon.

Section 11. Toxicological information

Health Effects:**Ingestion:**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin:

Prolonged or repeated contact may cause irritation.

Eyes:

May cause mild irritation

Inhalation:

Dust may cause mucous membrane irritation with sore throat, sneezing, coughing and shortness of breath.

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Saccharose 57-50-1	LD50	29,700 mg/kg	oral		rat	
Propane-1,2-diol 57-55-6	LD50 LD50	22,000 mg/kg > 2,000 mg/kg	oral dermal		rat rabbit	Not specified Not specified

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Propane-1,2-diol 57-55-6	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Propane-1,2-diol 57-55-6	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Propane-1,2-diol 57-55-6	not sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Propane-1,2-diol 57-55-6	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Propane-1,2-diol 57-55-6	negative negative negative	bacterial reverse mutation assay (e.g Ames test) bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test	without with and without with and without		Ames Test Ames Test OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Propane-1,2-diol 57-55-6	negative negative negative	oral: gavage intraperitoneal oral: gavage		rat mouse rat	Not specified Not specified Not specified

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Propane-1,2-diol 57-55-6	NOAEL=1,700 mg/kg	oral: feed	2 yearsdaily	rat	Not specified

Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Saccharose 57-50-1	LC50	> 700 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	DIN 38412-15 OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) OECD Guideline 201 (Alga, Growth Inhibition Test) OECD Guideline 201 (Alga, Growth Inhibition Test) OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Saccharose 57-50-1	EC0	700 mg/l	Bacteria	30 min		
Propane-1,2-diol 57-55-6	LC50	> 10,000 mg/l	Fish	48 h	Leuciscus idus	
Propane-1,2-diol 57-55-6	EC50	34,400 mg/l	Daphnia	48 h	Daphnia magna	
Propane-1,2-diol 57-55-6	EC50	19,000 mg/l	Algae	14 d	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)	
Propane-1,2-diol 57-55-6	NOEC	15,000 mg/l	Algae	14 d	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)	
Propane-1,2-diol 57-55-6	EC 50	> 1,000 mg/l	Bacteria	3 h		

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Saccharose 57-50-1	readily biodegradable	aerobic	73 - 90 %	EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test)
Propane-1,2-diol 57-55-6		aerobic	60 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Propane-1,2-diol 57-55-6	readily biodegradable	aerobic	> 70 %	OECD Guideline 301 A (new version) (Ready Biodegradability: DOC Die Away Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Saccharose 57-50-1	-3.7					
Propane-1,2-diol 57-55-6	-0.92					

Section 13. Disposal considerations

- Waste disposal of product:** Dispose of according to Federal, State and local governmental regulations.
- Disposal for uncleaned package:** Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

SUSMP Poisons Schedule None

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IMDG: International Maritime Dangerous Goods code
STEL - Short term exposure limit
TWA - Time weighted average

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1 - 16

Date of previous issue: 09.05.2011

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

